

Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

PURCHASE ORDER PO038537

Tel (613) 632-5200

Supplier:

MOA001-VU

Monroe Aerospace

399 East Drive

Melbourne, FL 32904 USA Phone: 1-321-727-0047 Fax: 1-321-727-7331 PO No:

PO038537

PO Date:

12/1/17

Due Date:

12/6/17

Purchase Order Revision:

Revision Date:

Ship-To Contact:

Baker, DianePhone:

dbaker@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200 Via:

Ground

Pymt Terms:

Net 30

Freight Terms:

Special Comments:

| Line Item | Part | Supplier Part No | l | Description | Status | Due Date | | Received Quantity | | Unit Price (USD) | Extended Price |
|--------------|----------|---------------------|---------|--|---------|---------------------|-------|-----------------------------|-------|----------------------|-------------------|
| 5 | AN43B-7A | | Eyebolt | | Partial | 12/6/17 | 20 Ea | 9 Ea | 11 Ea | \$5.25/Ea At 1.80 | \$57.75 |
| , | . : | | i | and the second of the second o | k ' | en Man Service Held | La 1 | الموسيد والهداء أأتوا الروا | (| Grand Total: | \$57.7 |

Order Notes

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT

A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 2/13/18 8:20 AM dart.baker.diane



CERTIFICATE OF CONFORMITY

NO: 625848

| RI | 1 | ١ ' | Т | <u></u> | |
|----|---|-----|---|---------|--|
| | | | | | |

DART AEROSPACE LTD. ACCTS. PAYABLE 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7 SHIP TO:

DART AEROSPACE LTD. ATTN: RECEIVING 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7

| CUSTOMER PO | SHIP DATE | AIRWAY BILL/TRACKING # |
|-------------|-----------|------------------------|
| PO038537 | 1/26/2018 | 1Z3165E06855942472 |
| | | |

| | | | | | T | |
|--------------------------------|--|-----------|-------------|-----------|-------------------------------|---------------|
| PART NO: | Description | CND | QTY | S/L | | |
| AN43B7A | EYE BOLT | NE | 11 | 9 | LOT: 43993.07 | MFR: OBM |
| REV: 2 | Customer Reference: | | | | | |
| | | | ļ | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | - | | | | |
| | | | | | | |
| | | İ | | | | |
| | | | | | | |
| | | } | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | 1 | | | |
| | | | | | | |
| Λ. | | 1 | | | | |
| | | | | | | |
| | | ļ | | | | |
| | | i | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| CONDITION | NS: NE - New OH-OVER | RHAULE | D R | P-REPAI | RED SV-SERVICEABI | LE |
| We hereby certify that the ite | ems that are a part of this Purchas | se Order | r have bee | n visua | Ily & dimensionally found t | o conform |
| to all applicable standards, | drawings & specifications. The li | ability o | f ECAS, L | LC is lin | nited to replacement of any | item which is |
| rejected because of a defect | in material or workmanship if no | tified wi | ithin 30 da | ays & lia | bility shall not exceed the i | nvoice |
| value. Such replacement sr | nall constitute satisfaction of all li | ability. | | | | |
| | ~ 1 1/A | - 1 | | | | |

SIGNED:

For and on behalf of ECAS, LLC dba MONROE AEROSPACE

OBM Inc.

2455 S Leonine Rd Wichita, KS 67217

Phone 316-522-8145 Fax 316-522-8817

| SOLD TO | |
|---|--|
| MONROE AEROSPACE 399 East Drive Melbourne, FL 32904 | |

| SHIP TO | |
|---|--|
| ECAS LLC. MONROE AEROSPACE 399 East Drive Melbourne, FL 32904 | |
| | |

| DATE | DATE SHIP VIA | | VIA | P.O. NUMBER | F.O. | B | TERMS | | | INVOICE# | | |
|---------|---------------|-----------|----------|-----------------|------|-------------|-----------|--------------|---|----------|--|--|
| 12/14/2 | 017 1 | 2/14/2017 | UPS | FL81389 | Wich | iita | 1% 10, NE | Г 30 | L | 45463 | | |
| LINE | QUAN | T. PART N | IUMBER [| DESCRIPTION | U/I | U/M LOT NO. | | PRICE I | Ε | AMOUNT | | |
| 1 | 50 | AN43B | -7A I | EYEBOLT, REV. 2 | | 439 | 993.07 | | | - | | |
| | | | | • | | | | <u> </u> | | - | | |
| | | | | | | | | | | | | |
| | | | | • | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | : | | | | | | | | |
| | | | | | | | | | | | | |
| | | - | | | | İ | |] | | | | |
| | | | | | | : | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

WE CERTIFY THAT THE RAW MATERIAL USED ON THE ABOVE PURCHASE ORDER MEETS THE REQUIREMENTS OF THE DRAWING. TEST REPORTS PERTAINING TO RAW MATERIAL, HEAT TREATING, AND PLATING ARE ON FILE. COUNTRY OF ORIGIN USA. PAUL OTT, QUALITY.

DASMA

MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA, KANSAS 66067

CERTIFICATE OF CONFORMANCE AND MANUFACTURER'S AFFIDAVIT

CUSTOMER BILD INDUSTRIES

PO: 91474

PART NUMBER: MS24694S54

REV: 2

LOT NUMBER: 89417

MANUFACTURED QUANTITY: 60,000

MILL HEAT NUMBER: MM16103779

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4 Mac Fasteners is an Airbus approved Supplier - 203399


DATE: 04/29/17

QUALITY ASSURANCE REPRESENTATIVE

Mac Fasteners A TriMas Aerospace Company 1110 E. Enterprise Ottawa, KS 66067

TEST REPORT AND PROCESS CERTIFICATION

| p | | | | <u></u> | | | | <u> </u> | | locot r | | | |
|--|--|----------------------------|-----------|--------------------|------------|----------------------------|----------------|----------------|-----------------------|---------------------------|--------------|--|--|
| CUSTOMER | BILD INDU | ICTDII | =e | | | PO NUMBER | R 474 | | PO Date 12/08/16 | | DATE //29/17 | | |
| PART NUMBER | BILD INDO | SIKI | | REV | IPART | TYPE | | 1210 | 70/10 | | 20111 | | |
| 1 | MS24694S54 | | | 2 | "" | | 00° FI | at Head, Cr | ucifor | m Recess | ; | | |
| LOT NO | MFG QU | ANTITY | | | | PROCUREMENT SPEC | | | | | | | |
| 894 | | | | 60,000 | | 71011 (1111) | | NASM7839 REV 1 | | | | | |
| | RAW | / MAT | ERIAL | IDENII | IFICA | ATION (Mill Ce | | | | | | | |
| MATERIAL / MAT | ERIAL SPECIFICA 8740 PEF | | 36322 | ···· | | MILL HEAT N | NUMBE 16103 | | SUPPLIER JOHNSTOWN | | | | |
| | MECHANICA | L TE | STRE | | | | | ASM1312 | 2 | | | | |
| | NSILE STRENGTH NDS / PSI | | | DOL | | SHEAR STRENG JNDS / PSI | TH | Fatigue Tes | t Samı | ple | ☐ Accept | | |
| 3,120 | 3,100 | | | | | | | NOT REQUI | RED | | | | |
| 3,130 | 3,130 | | | - | | | | Stress D | urabilit | у 🗆 | Accept | | |
| 3,100 | 3,090 | | | | | | | | Extern | al Load Met | hod | | |
| 3,090 | 3,050 | | | | | | | Load | | Hours | | | |
| 3,070 | 3,080 | | | | | | 1 | Magn | | rticle Inspec | tion per | | |
| 3,120 | | | | | | | 1 | | | TM E1444 | | | |
| 3,080 | | | | | | | . | Sample ins | | | | | |
| 3,110 | | | | | | | l | Liqui | | trant Inspect TM E1417 | ion per | | |
| | | | | NO | OT R | EQUIRED | | Sample Ins | ρ 🔲 1 | 100% insp | □Accept | | |
| IIN. REQ. | 2500 | | MIN. | REQ. | | | | Magnetic Po | | | Accept | | |
| | METALLURGI | CAL E | XAMINAT | TION | | | | Head Markin | | Accept | Досере | | |
| Discontinuties | \Box | | Carb/l | Decarb | | 7 | | Recess Toro | que | in/lbs | Accept | | |
| Grain Flow | Ø | | Micros | tructure | | V | | | | | | | |
| Grain Size | Ø | | Workm | nanship | | Ø | | | | | | | |
| Thread Insp FED-STD-H28/20 | ection S - ASME B1.3 | System 21 | sy | /stem 22 ☑ | | ystem 23 🔲 | | | | | | | |
| FINISH / PROCES | SOR: Detray Plati | ing Wo | rks | | | HEAT TREAT PRO | OCESS | OR: Paulo Pro | ducts N | NADCAP ID 4 | 1679 | | |
| admium Plate 🗹 | AMS-QQ-P-416 E | | Type II C | Class 3 | | SPECIFICATION: | AMS2 | 2759 | | | | | |
| assivate | | | | |] <u> </u> | REQUIREMENT: 1 | 125-145 | KSI FTU HRC | 26-32 | | | | |
| | | | | | F | RESULTS: SAMP | PLE SIZ | E: 13 | | 28 - 31 HR | c // | | |
| | TEST CE | RTIF | CATION | V | | | | | | | /// | | |
| VE CERTIFY THAT BOVE HAVE BEEN PPLICABLE SPEC ERTIFICATION SH PPROVAL OF MAC | N PROCESSED AN DIFICATIONFOR TH IALL NOT BE RE-P | D TEST LE TES PRODUC | TED IN AC | CCORDA ORTED HI | NCE VEREIN | WITH THE I. THIS | ED | Quality | / | Farrell nce Represe | ntative | | |



Johnstown Wire Technologies

124 Laurei Ave, Johnstown, PA 15906

Phone: 814 532-5756 Fax: 814 532-5684 **TEST REPORT**

WORK ORDER 579270

LOT NUMBER E-MM16103779

SALES ORDER / RLS 096578 / 001

> CERT ID / REV 00052614 / 01

SOLD TO

Mac Fasteners, Inc. Best Way Distribution 13209 Arrington Rd. Docks 17-20 Grandview, MO 64030 USA





| CUSTOMER | R P.O. | | CUSTOM | ER PART | | | | QUA | NTITY | COIL | S LADIN | G NO | | SHIP | MĖNT DAT |
|--|--------------------------|----------------------|------------------------|---------|----------------|-----------|-----------------|---------------|-------------------|---------------------|---------------------|-----------------------|-----------|-------------|----------|
| P0000022 | 47 | | 874018 | 65 | | | | 19,731 | LBS | 1 | 0014 | 2737 | , | 0 | 1/06/201 |
| SPECIFICA AMS2301 Suppleme Spherodi Size: .186 | ; AMS ent S ze Anr | ilicon K realed h | MS-S-604 illed Fine | Grain A | 5-604 ircra | ft Qualit | y/Cold H | eading (| ıse Fe Quality | deral Ac / Drawi | quisition From A | Regulati nnealed F | on Rod | | |
| CERTIFICAT | ION RE | QUIREM | ENTS | | | | | | | | | | | | |
| | | | | | | | | hemica | <u> </u> | | | | | | |
| | | Mn | P | S | | si | Al | Ni | | Cr | Мо | Cu | v | | |
| .39 | | .82 | .009 | .005 | | .23 | .026 | .40 | | . 45 | .202 | .14 | .0016 | | |
| Cb | | Ti | N | Sn | | | | | | | | | | | ł |
| 777???? | 277 | 7777 | .0052 | .004 | | | F | hysical | | | | | | · | <u>i</u> |
| J1 | J10 | J11 | J12 | J2 | J3 | J5 | J4 | J6 | J7 | J8 | J9 | • | | | 1 |
| 56 | 40 | 38 | 36 | 56 | 56 | 50 | 53 | 47 | 45 | 43 | 41 | | | | · |
| | | | | | | | Me | chanica | 11 | | | , | | | ļ |
| TEST | | | | UNITS | | | | | | HIG | H | | LOW | AVERA | GE |
| Tensile St | r | | | Lbs/S | gin | | | | | 8400 | 0 | 82 | 2000 | 830 | 000 |
| RA Per Ce | ent | | | Perce | ent | | | | | 75 | .8 | | 73.2 | 7 | 4.7 |
| Decarb Ff | | | | Inche | s | | | | | .00 | 0 | | .000 | 0.0 | 900 |
| Surface d | ef. der | oth | | Inche | s | <u> </u> | D-11 | M - 14 O - | | .001 | 5 |] | 015 | 0.00 |)15 |
| Rod Sou | rco | | Ma7+ | Source | | | ROU/ Country | Melt Sou | | Nafi | | | | | |
| Nucor | + | | Nuco | | | | JSA JSA | OI OF | -9-11 | Yes Yes | .a | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | End of | Certification | חכ | | | | | | |

I certify that the results are a true and correct copy of the records prepared and maintained by JOHNSTOWN WIRE TECHNOLOGIES in compliance with the requirements of the cited specification. Chemistry is as reported by the rod / bar supplier and is not in JWT A2LA accreditation. This test report cannot be reproduced or distributed except in full without the written permission of JOHNSTOWN WIRE TECHNOLOGIES. The test results certified herein relate only to the items tested.

Daniel J. Malik / Director of Quality Assurance

NUCOR

Mill Certification 1/5/2017

NUCOR CORPORATION NUCOR STEEL SOUTH CAROLINA

300 Steel Mill Road DARLINGTON, SC 29540 (843) 393-5841 Fax: (843) 395-8701

Sold To:

JOHNSTOWN WIRE TECHNOLOGY 124 LAUREL AVE JOHNSTOWN, PA 15906 (814) 532-5600 Fax: (814) 532-5613

Ship To: JOHNSTOWN WIRE TECHNOLOGY 124 LAUREL AVE JOHNSTOWN, PA 15906 (814) 532-5600 Fax: (814) 532-5613

| Customer P.O. | 91254 | | | | | | Sales O | rder 252 | 774.1 | |
|--|-----------------------|--------------------|--------------------|--------------------|-------------------|----------------------|--|---------------------------------------|-------------|-------------|
| Product Group | Rod | | | | | | Part Nur | nber 320 | 00312000DUI | A |
| Grade | 8740 MIL-S-6 | 049 ASMS 63 | 322 | | | | L | ot# DL1 | 1690001696 | |
| Size | 5/16" (.3125) | Wire Rod | | | | | Hea | at # MM | 16103779 | T T |
| Product | 5/16" (.3125) | Wire Rod Coi | 8740AQ | | | | B.L. Num | | | |
| Description | 8740AQ | | | Load Num | | | | | | |
| Customer Spec | | | | | | | Customer Pa | rt# FX1 | 40AA-5/16 | |
| I hereby certify that the materia | al described herein h | as been manufact | ured in accordance | e with the specifi | cations and stand | ards tisted abo | ve and that it salislies t | hose requirem | ents. | |
| Roll Date: 11/8/2016 | Meit Date: 10/ | | y Shipped L | | Qty Shippe | | | | * | T. |
| Melt Date: 10/25/2016 | | | | | | | | | | |
| C Mn | P | S | Si | Cu | Ni | Cr | Mo | V | Al | Sn |
| 0.39% 0.82% | 0.009% | 0.005% | 0.23% | 0.14% | 0.40% | 0.45% | 0.202% | 0.0016% | 0.026% | 0,004% |
| N H 0.0052% 2 ppm | | | | | | | | | | |
| 0.0052% 2 ppm | | | | • | | | | | | |
| Actual Hardenability B J1 J2 J3 J4 56 56 56 53 | J5 J6 J | 7 J8 J9 5 43 41 | J10 J11 40 38 | J12 J13 36 35 | J14 J15 34 33 | J16 J18 32 31 | J20 J22 J24 30 29 28 | J26 J2 28 27 | | |
| Roll Date: 11/8/2016 | | | | | | | | | | |
| Microexamination OK | | | AMS 230 | 1 Frequency | : 0.00 | | AMS | 2301 Seve | rity: 0.00 | İ |
| Min Tensile 124000psi | | | Max Ten | sile 134000p: | 5i | | | | 128000psi | ! |
| Reduction of Area: 59% | | | Grain Siz | e per ASTM | E112 = 9 | | Redu | | | |
| ASTM E381 Surface: 1 Mid Radio | ıs: 1 Cent | er: 1 | | | | V. | | | | İ |
| ASTM E45 Method A (W Sulfides: T: 1.0 H: 1.0 | | 0.0 H: 0.0 | Silicates: | T: 0.0 H: 0 | .0 Globula | r: T: 0.5 | H: 0.5 | · · · · · · · · · · · · · · · · · · · | | |

1. WELDING OR WELD REPAIR WAS NOT PERFORMED ON THIS MATERIAL
2. MELTED AND MANUFACTURED IN THE USA
3. MERCURY, RADIUM, OR ALPHA SOURCE MATERIALS IN ANY FORM HAVE NOT BEEN USED IN THE PRODUCTION OF THIS MATERIAL

James H. Blew

Division Metallurgist

DE TRAY Plating Works

Specialized Electro-Plating and Polishing
Nickel Passivate
Copper Bright Dip
Decorative Chrome Strip Copper
Satin Chrome Descale
Zinc

Cadmium

10405 EAST ELEVENTH STREET • INDEPENDENCE, MISSOURI 64052 Phone (816) 252-8411 Fax (816) 252-8527 • E-mail: DeTrayPiating@Aol.com

April 28, 2017

Mac Fasteners 1110 East Enterprise Street Ottawa, Kansas 66067

Subject: Certification

This is to certify that the following parts have been cadmium plated QQ-P-416/AMS-QQ-P-416/NAS4160/AMS2400, Type II, Class 3. Please reference our Invoice# 211241 dated 4/28/17 for:

Lot# 89417

P.N.- MS24694S54

James T. Pierson, Vice-President

DE TRAY PLATING WORKS

Please Visit our Web Site: DeTrayPlating.com

CUST PO NO

FLU1112 559969

SO NO

COMPLETE CUSTOMER PO NO.

S H I IP

CUST PO NO

SO NO

559949

S

FL81112

SO NO 554969

CUSTOMER BILL TO ADDRESS

FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854

FROM: FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854

FL91112

FROM: 800 CLEARWATER LOOP POST FALLS, ID 83854

CUST PO NO

NEWROE AEROSPACH DBA ECAS, LLC 794 EAST DRIVE

MEL GOURNE

FL 32704

MONROE AEROGPACE DBA. ECAS. LLC JYY EAST DRIVE

BILL TO NO.

MELBOURNE

FL 32904

SHIP TO NO.

MONROE AEROSPACE DBA ECAS, LLC 377 EAST DRIVE

MELBOURNE

| | | | | | FL81112 | | ECAOCI 3 | で記念の | | #2 W | 。四型 |
|-----------|----------|-------------------|---------------------------------|-------------------------------------|------------------------------|--------------|----------------|----------------|-------------|----------------------|------------|
| | er St. S | SUL AEROSP | APE AGA U | MAGLEEM. | BUYER NAME & PHONE NO | | | 可多种的 | 研究研究 | a loc | 相多問 |
| | | EAST DRIV | | San Profession San San San | EMATL | 美國 探 | | 1 1 3 E | MANE | F P P | W P |
| | | COUPNE | | 32904 | 1 | | | | | | |
| NE NE | LOC | QTY ORDERED | TOTAL QTY SHAPED THIS ORDER. | LOT 8/01 | 24 77307 | CUST. PO NO. | CUST. NO. | DESCRIPTION | | Lungar Prairie | |
| | 3 | 150 | (50) | C ANG-2 | 7A ACCEPTED | F181312 | EGAOGI | BOLT | BX 23= | | 1.37 |
| w:2 NE | LOC | QTY ORDERED | TOTAL QTY SHIPPED THIS ORDER | LOT MA | | CUST. PO NO. | CUST. NO. | DESCRIPTION | E E CO | | |
| .]2 | (- 1 | 1 4 | Shirred Inio Orden | C FULL | CERTS | FL81112 | ECA001 | CERTIFIC | ATION ; | | |
| NE | roc | QTY ORDERED | TOTAL OTY | LOT O | 79 894171 | CUST. PO NO. | CUST. NO. | DESCRIPTION | -000 | | |
| | . [] | 9500 | 8500) | ll | 9485 ACCEPTED | FL81112 | ECACO1 | SCREW | BX24- | 25= | |
| 熟点 NE | LOC | QTY ORDERED | TOTAL OTY SHIPPED THIS ORDER | LOT | TAC | CUST. PO NO. | CUST. NO. | DESCRIPTION | | T | The second |
| | | 1 | S.I.I. I ED THIO ONDER | C FULL | CERTA | FL31112 | ECA001 | CERTIFIC | ATION | ~ | |
| NE | LOC | QTY ORDERED | TOTAL OTY SHIPPED THIS ORDER | LOT 97 | 824 65646 | CUST. PO NO. | CUST. NO. | DESCRIPTION | 123.34 | TO STATE | |
| | | 1000 | 1000 | from an I and the resonance are not | 57-13ACCEPTED | FL81112 | ECA001 | SCREW | BXZZ | | |
| NE. | LOC | QTY ORDERED | FOTAL OTY SHIPPED THIS ORDER | LOT X | EFCO | CUST. PO NO. | CUST. NO. | DESCRIPTION | | The same of the same | |
| | | | | C FULL | CHRITS | Figure | ECACOI | CERTIFIC | ATION | | |
| NE | LOC | QTY ORDERED | TOTAL QTY SHIPPED THIS QRDER | LOT 934 | 201-94997- | CUST. PO NO. | CUST. NO. | DESCRIPTION | *** | | (1) |
| | | 1200 | (1200) | CIMPIDAN | 74C47 | FL81112 | ECAODI | BCREW | BX 23 | | |
| NE NE | LOC | QTY ORDERED | TOTAL OTY SHIPPED THIS ORDER | LOT 4 | RESCENDEPTED | CUST. PO NO. | CUST. NO. | DESCRIPTION | 更数述 | | |
| 4,4 | | <u>j</u> | | C FULL | CERTS | FL81112 | ECA001 | CERTIFIC | ATION | . m. e en en | |
| 'E LI | EDERV | | CERTIFICATION OF | | CKING LIST IS IN CONFORMANCE | DATE | QUALITY CO | ONTROL MANAGER | | | |
| | AN-MS | NAS OR APPLICABLE | | | CAGE CODE 31222 | DEC 11 ZUIT | March | Kyenoen | 学长店最 | 1.75 | |
| 2 | TOTA | L WT NO CT | TNS P | = PARTIAL | TO THE REAL PROPERTY OF | D/ | ATE SHIPPED SH | IPPED VIA | 1 | 3 2 7 | SIGNATURE |

CONSIDER COMPLETE